Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(710/330).CCLS.	USPAT; USOCR	OR	OFF	2005/11/01 16:09
L2	236	(719/330).CCLS.	USPAT; USOCR	OR	OFF	2005/11/01 16:09
L3	0	1 & (match$3 or mismatch$3 or dissimilar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L4	0	1 & (resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L5	0	1 & (solv$3 with typ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L6	96	2 & (match$3 or mismatch$3 or dissimilar$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
L7	5	2 & (match$3 or mismatch$3 or dissimilar$3) same (resolv$3 or solv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 16:11
S1	658	(719/310,330).CCLS.	USPAT; USOCR	OR	OFF	2005/10/31 14:29
S2	138	S1 & ((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3))	USPAT	OR	OFF	2005/10/31 15:01
S3	3	S1 & ((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same resolv$3)	USPAT	OR	OFF	2005/10/31 14:38
S4	1	S1 & ((match$3 or mismatch$3) with resolv$6 same (id or identif$6 or select$3 or determin$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:01

S5	1489	((match$3 or mismatch$3) with resolv$6 same (id or identif$6 or select$3 or determin$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:40
S6	48	((match$3 or mismatch$3) with resolv$6 same (id or identif$6 or select$3 or determin$3) same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:40
S7	9	((match$3 or mismatch$3) with resolv$6 same (id or identif$6 or select$3 or determin$3) same class$3 same typ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:42
S8	15	((match$3 or mismatch$3) same resolv$6 with (id or identif$6 or select$3 or determin$3) same class$3 same typ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:58
S9	8	((match$3 or mismatch$3) same resolv$6 with identif$6 same class$3 same typ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 14:58
S10	16	((match$3 or mismatch$3) same resolv$6 with identif$6 same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:00
S11	65	((match$3 or mismatch$3) same resolv$6 same identif$6 same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:00
S12	1489	((match$3 or mismatch$3) with resolv$6 same (id or identif$6 or select$3 or determin$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:10

S13	755	((match$3 or mismatch$3) with resolv$6 with (id or identif$6 or select$3 or determin$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:01
S14	15	((match$3 or mismatch$3) with resolv$6 with (id or identif$6 or select$3 or determin$3) same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:02
S15	63	((match$3 or mismatch$3) with resolv$6 same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:08
S16	15	((match$3 or mismatch$3) with resolv$6 same class$3 same typ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:04
S17	63	((match$3 or mismatch$3) with resolv$6 same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:05
S18	1	S1 & ((match$3 or mismatch$3) same resolv$6 same class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:08
S19	20080	((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) & resolv$3 & class$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:10
S20	11515	((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3)& resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:11

S21	908	((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) same resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:11
S22	4	((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) same resolv$3 same dissimilar$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:12
S23	240	((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) same dissimilar$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:12
S24	0	S1 & ((match$3 or mismatch$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) same dissimilar$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:13
S25	31737	((match$3 or mismatch$3 or disssimilar$3 or similar$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) & resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:16
S26	22	S1 & ((match$3 or mismatch$3 or disssimilar$3 or similar$3) same (id or identif$6 or select$3 or determin$3) same (class$3 or type$3) & resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:27
S27	4	S1 & ((match$3 or mismatch$3 or disssimilar$3 or similar$3) same resolv$3 same (id or identif$6 or select$3 or determin$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:28
S28	9	S1 & ((match$3 or mismatch$3 or disssimilar$3) same resolv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:29

S29	11	((match$3 or mismatch$3 or disssimilar$3) same resolv$3 same class$3).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:30
S30	675	((match$3 or mismatch$3 or disssimilar$3) same resolv$3).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:30
S31	7	((match$3 or mismatch$3 or disssimilar$3) same resolv$3 & orient$3).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:34
S32	99	((match$3 or mismatch$3 or disssimilar$3) same resolv$3 same (type$3 or parameter$3 or attribut$3)).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:35
S33	49	((match$3 or mismatch$3 or disssimilar$3) with resolv$3 same (type$3 or parameter$3 or attribut$3)).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:52
S34	14	S33 & implement$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:36
S35	11	((match$3 or mismatch$3 or disssimilar$3) with resolv$3 same implement$3).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:53
S36	134	((match$3 or mismatch$3 or disssimilar$3) with resolv$3 same implement$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/31 15:55

S71	19	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same (client$3 or server$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:05
S72	7	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same call$3 & (client$3 or server$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:06
S73	2	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same (function near2 call$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:07
S74	0	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same (call$3 with implement$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:08
S75	19	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) & (call$3 with implement$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:12
S76	34	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) & (API)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:16
S77	3405	("719").CLAS.	USPAT; USOCR	OR	OFF	2005/11/01 10:16
S78	2	S66 & S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:21
S79	8	S65 & S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:20

S80	5394	("717").CLAS.	USPAT; USOCR	OR	OFF	2005/11/01 10:20
S81	1	S66 & S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:21
S82	8	S65 & S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:22
S83	240	(match$3 or mismatch$3 or dissimilar$3) with (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:45
S84	16	(match$3 or mismatch$3 or dissimilar$3) with (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same typ$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:46
S85	0	(match$3 or mismatch$3 or dissimilar$3) with (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) same (object$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:47
S86	6	(match$3 or mismatch$3 or dissimilar$3) with (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) & (object$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:53
S87	16	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) with (identif$6 or detect$6 or check$3) with (resolv$3 or solv$6) & (object$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 10:55
S88	92	(match$3 or mismatch$3 or dissimilar$3) same (receiv$3 or send$3 or transfer$3 or transmit$6) same (identif$6 or detect$6 or check$3) same (resolv$3 or solv$6) & (object$3 near2 oriented)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 11:17

| S89 | 56 | (match$3 or mismatch$3 or dissimilar$3) same type$1 same class$1 same (object$3 near2 oriented) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/11/01 16:10 |